STATEMENT OF WORK (SOW)
for
Inspection and Repair Only As Necessary (IROAN)
of the
AN/TPS-59(V)3
Electrical Contact Ring Assembly
NSN 5977-01-154-3569

- 1.0 <u>Scope</u>. This Statement of Work (SOW) establishes, sets forth tasks and identifies the work efforts that shall be performed by the Contractor to IROAN the AN/TPS-59(V)3 Electrical Contact Ring Assembly, NSN 5977-01-154-3569, part number 77D609481P2, CAGE 03538 (hereafter referred to as the Ring Assembly). This document contains requirements to restore the Ring Assembly to Condition Code "A." Condition Code "A" is defined as "serviceable/issuable without qualification; new, used, repaired or reconditioned material that is serviceable and issuable to all customers without limitation or restriction, including material with more than six months shelf-life remaining."
- 1.1 <u>Background</u>. IROAN is defined as "That maintenance technique which determines the minimum repairs necessary to restore equipment components or assemblies to prescribed maintenance serviceability standards by utilizing all available diagnostic equipment and test procedures in order to minimize disassembly and parts replacement."
- 2.0 Applicable Documents. The following documents form a part of this SOW to the extent specified. Unless otherwise specified, the issues of these documents are those listed in the Department of Defense Index of Specifications and Standards (DoDISS) and supplements thereto which are in effect on the date of solicitation. In the event of conflict between the documents referenced herein and the contents of this SOW, the contents of this SOW shall be the superseding requirements.

### 2.1 Military Standards

MIL-STD-2073-ID DOD Standard Practice for Military Packaging

MIL-STD-129 DOD Standard Practice for Military Marking

2.2 Other Government Documents and Publications

DoD 4000.25-1-M Military Standard Requisitioning and Issue

Procedures (MILSTRIP)

**Engineering Drawing** 

77D609481, CAGE 03538 Drawing Assembly, Ring Assembly

Military Handbooks (For Guidance)

MIL-HDBK-61

Configuration Management Guidance

2.3 Industry Standards

ANSI/ISO/ASQC Q9001-2000

Quality Management Systems-Requirements

Industry Standards (For Guidance)

ANSI/EIA-649

National Consensus Standard for Configuration

Management

Copies of Military Standards and Specifications are available from the DOD Single Stock Point, Document Automation and Production Service, Building 4/D, 700 Robbins Avenue, Philadelphia, PA 19111-5094, commercial telephone number (215) 697- 2179 or DSN 442-2179, or <a href="http://www.dodssp.daps.mil">http://www.dodssp.daps.mil</a>. Copies of other government documents and publications required by contractors in connection with specific SOW requirements shall be obtained through the Contracting Officer: Contracts Department (Code 891), P.O. Drawer 43019, 814 Radford Blvd., Marine Corps Logistics Bases, Albany, GA 31704-3019, commercial telephone number (229) 639-6761 or DSN 567-6761. Copies of engineering drawings, if applicable, shall be obtained from: Supply Chain Management Center, Attn: Code 583-1, 814 Radford Blvd., Suite 20320, Albany, GA 31704-0320, commercial telephone number (229) 639-6476 or DSN 567-6476.

#### 3.0 Requirements

3.1 The Contractor shall repair the Ring Assembly strictly in accordance with the requirements as specified in Engineering Drawing 77D609481, CAGE 03538. Additionally, the Contractor shall be responsible for developing a test requirements plan, and documenting the test results in a Test Data Report (TDR). The Contractor shall be responsible for all parts, materials, labor, facilities, tools, and test equipment necessary to IROAN the equipment in accordance with this SOW.

### 3.2 Packaging, Handling, Storage and Transportation (PHS&T)

3.2.1 The Contractor shall be responsible for preservation and packaging of item(s) being repaired under the terms of this statement of work. Items scheduled for long-term storage or shipment to overseas destinations shall be in accordance with the level "A" requirements of MIL-STD-2073-1D, Appendix A, Table A.VI., Electronic Equipment. Items scheduled for domestic shipment for immediate use or short-term storage shall be in accordance with level "B" requirements.

NOTE: Level "A" preservation and packaging shall normally be required due to the anticipated long-term storage requirements. Exceptions: Items that have a confirmed immediate use will be

identified in writing by the Logistics Management Specialist (LMS), Marine Corps Systems Command (MCSC), BMADS, Albany, Georgia 31704-0343.

- 3.2.2 Marking for shipment and storage shall be in accordance with MIL-STD-129.
- 3.2.3 The Marine Corps will provide the Contractor with the shipping address(es) for delivery of the repaired equipment. The Contractor shall be responsible for arranging for shipment to the pre-designated site(s). The Marine Corps will be responsible for transportation costs associated with shipping the subject equipment to and from the Contractor.
- 3.3 <u>Configuration Control</u>. The Contractor shall apply configuration control procedures to established configuration baseline items. The Contractor shall not implement configuration changes to an item's documented performance or design characteristics without prior written authorization. All permanent changes to the baseline shall be by Engineering Change Proposal (ECP). If it is necessary to temporarily depart from the authorized configuration, the Contractor shall prepare and submit a Request for Deviation (RFD). MIL-HDBK-61 and ANSI/EIA-649 provide guidance for preparing these configuration control documents.
- 3.4 Government Furnished Equipment (GFE)/Government Furnished Materiel (GFM). The Management Control Activity (MCA/Code 571-1) will coordinate Government Furnished Equipment/Government Furnished Materiel (GFE)/(GFM) requests and maintain a central control system on all government owned assets in the Contractor's possession. The MCA will forward a GFE Accountability Agreement to the Contractor for signature on an annual basis to establish a chain of custody and identify property responsibilities for Marine Corps assets. The Contractor is to acknowledge receipt of GFM to the MCA within 15 days of receipt. This can be done by mailing a copy of the DD1348 to Materiel Management Department, Management Control Activity (Code 571-1), 814 Radford Blvd., STE 20320, Albany, GA 31704-0320, or by faxing a copy to commercial telephone number 229-639-5498 or DSN 567-5498.
- 3.5 <u>Contractor Furnished Materiel (CFM)</u>. The Contractor may requisition materiel as required in the performance of the SOW through the DoD Supply System. DoD 4000.25-1-M (MILSTRIP) Chapter 11 provides guidance to contractors on the requisitioning process. The Contractor's decision to utilize CFM procured from the DoD Supply System shall be based upon cost effectiveness, availability of materiel and the required completion/delivery date.
- 3.6 Quality Assurance Provisions. The Contractor shall provide and maintain a Quality System that, as a minimum, adheres to the requirements of ANSI/ISO/ASQC Q9001-2000, Quality Management Systems-Requirements.
- 4.0 Reports. The Contractor shall develop a Test Data Report (TDR), in Contractor format, based on test requirements developed by the Contractor (in accordance with this SOW), which references this SOW, the NSN, part number, and serial number of the Ring Assembly. Upon request, the Contractor shall submit a copy of the TDR electronically (preferred), via regular mail, or facsimile to the Logistics Management Specialist (LMS), MCSC (BMADS). Electronic address is: SMBmatcombmads@matcom.usmc.mil. Mailing address is: Commander, Marine

Corps Systems Command, Attn: Logistics Management Specialist, BMADS, 814 Radford Blvd., Suite 20343, Albany, GA 31704-0343. The LMS can be reached at commercial telephone number (229) 639-5036, or DSN 567-5036. Facsimiles may be sent to commercial telephone number (229) 639-6545 or DSN 567-6545, Attn: Logistics Management Specialist, BMADS.

4

# **CONTRACT DATA REQUIREMENTS LIST**

(1 Data Item)

Form Approved OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Derations and Reports (0701-0188), 1215 Jefferson Devis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.

Please DO NOT RETURN your form to the above address. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. Issted in Block E.

A. CONTRACT LINE ITEM NO.		B. EXHIBIT		C. CATEGORY:		×					
D, SYSTEM/ITEM			E. CONTRACT/PF	TDP TM _	F. CONTR						
	Contact Ring Asse	embly	E. OUR ( DAGI/PI		, som n				ļ		
1. DATA ITEM NO.	2. TITLE OF DATA ITEM										
A001	Er	igineering	Change Prop	Configuration Management							
4. AUTHORITY (Data Acquisition Document No.) 5. CONTRACY REFERENCE					6. REQUIRING OFFICE						
DI-CMAN-80639C SOW 3.3						MCLBA (583)					
7. DD 250 REO LT	8. DIST STATEMENT REQUIRED		ASREQ 12. DATE OF FIRST SUBMISSION See Blk 1			14. DISTRIBUTION	b. COPIES				
8. APP CODE	-	11. AS OF DA		13. DATE OF SUBSEQUENT	-	a. Addressee	Fi		inal		
Α	Α			SUBMISSION			Draft	Reg	Repro		
16, REMARKS Blk 4 - Contra	actor format in .do	oc or .pdf	format is auth	norized.		MCLBA (583-1)	0	1	0		
		-					+				
Blks 10 & 12 -ECPs shall be submitted for all proposed changes which permanently affect the baseline of a configuration item.  ECPs will be reviewed and disposition determined within 30 calendar days upon receipt by the Government.											
receipt by the	Government.				, 1		1				
ECPs shall be	submitted via e-m nfigmngmnt@mate	nail to the	following add	dress:							
momatcomeor	mgmigmit@mate	.om. usme	. 11111				<b></b>				
Distribution S	tatement A: Appi	oved for	public release	, distribution is un	limited.		<b>├</b>				
							1				
							+				
	•										
							<del> </del>				
							1				
								-			
							+				
					•		-				
							1				
							ليلا				
G. PREPARED BY			H. DATE	I ADDROVED D	RV 🙃	15. TOTAL	J. DATI	<u> </u>	0		
G. PREPARED BY  H. DATE  18 Jan 02 Tolut D. Jenaglin								10 DEC 02			
DD FORM 1423	-1, AUG 96 (EG)			REVIOUS EDITION MAY BE	USED.	· · · · · · · · · · · · · · · · · · ·	Page	of	Pages		
			U			Bestered	in Dartan	B MILIOID	100 4 00		

7. PRICE GROUP 8. ESTIMATED TOTAL PRICE

# **CONTRACT DATA REQUIREMENTS LIST**

(1 Data Item)

Form Approved OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gethering and meintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Deparations and Reports (10701-0188), 1215 Jefferson Davis Highway, Suite 1204, Ariangton, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of low, no person shall be subject to any penalty for faling to comply with a collection of information if it does not display a currently valid OMB control number.

The public reporting burden for information is estimated to average 110 hours per response, including instructions, searching existing data sources, gethering and meintaining the data needed, and completely present the collection of information Department of Defense, Washington, Including suggestions for reducing the burden, to Department of Defense, Washington, Including suggestions for reducing the burden, to Department of Defense, and the provision of low, no person shall be subject to any penalty for faling to comply with a collection of information in including suggestions, including suggestions for reducing the burden, to Defense, and the provision of life of the Contraction of Information Defense, and the provision of Information Defense,

A. CONTRACT LINE	ITEM NO.	B. EXHIBIT	Ī	C. CATEGORY:			~				
		<u> </u>	1		OTHE		X				l i
D. SYSTEM/ITEM	Contact Ring Asse	mbly	E. CONTRACT/PR	ND.	F. CONTR	ACTOR					1
1. DATA ITEM NO.	2. TITLE OF DATA ITEM	шыу	<u></u>		3. SUBTITLE						17. PRICE GROU
1. DATA HEM NV.	Z. HILE OF DATA HEM				3. 30811166						
A002		Request	For Deviation			Cor	ifiguration Mai	nageme	ent		
			5. CONTRACT REFEREN				8. REQUIRING OFFICE				18. ESTIMATED
· ·	CMAN-80640C			SOW 3.3			MCLBA	A (583)	)		TOTAL PRIC
7. DD 250 REQ	S. DIST STATEMENT	10. FREQUENC			ION	14.	DISTRIBUTION				
LT	REQUIRED	A	ASREQ	See Blk	6			<u> </u>	b. COPIES		
8. APP CODE	1	11. AS OF DATE		13. DATE OF SUBSEQUENT		1	a, ADDRESSEE	Final		nal	
Α	A			SUBMISSION				Draft	Reg	Rapro	
16. REMARKS	otou format in do	a on mdf	format is auth	orized		MC	LBA (583-1)	0	1	0	
	ctor format in .do	-									
Blks 10 & 12 -	- RFDs shall be su g material which o	bmitted t	o obtain autho	rization to delive	•						
documentation	g material which c	ioes not n	nect preserioed	Comiguration							
receipt by the	reviewed and disp Government.	osition de	acimmed with	iii yo calondar da	, o upon	<u> </u>		ļ			Ľ
mbmatcomcon	submitted via e-m figmngmnt@matc	om.usmc	.mil								ľ
								ļ			
Distribution St	tatement A: Appr	oved for	public release	, distribution is u	ılimited.			-			li
1								-	-		
									<del> </del> -		
								<del> </del>	<u> </u>		
								+			
						-					
								1			[
							· · · · · · · · · · · · · · · · · · ·	-		ļ	
								<b>-</b>		l	ľ
							*	1			
											1
						L		ļ	ļ <u>-</u>		
									ļ		
						ļ		1	ļ		ľ
						-		<del> </del>		<b></b>	
						-		-			
								<del> </del>	ļ		
						<u> </u>	·	+-	-		
								<del> </del>	<del> </del>		
											[.
								†	<del> </del>	<b> </b>	
						15. TOT.	AL -	0	1	0	[
G. PREPARED BY		•••	H. DATE	I. APPROVED	3Y 🔿	·	1	J. DAT		<u> </u>	
h	PAD		N		11).	1,.	ندان	10	DEC	02	Ľ
Lane	_ lallin		18 km	02 KM	<i>N</i> -	VVV	8				
DD FORM 1423-	-1, AUG 96 (EG)		( ) PF	REVIOUS EDITION MAY B	USED.			Page	of	Pages	;